

Declaration of Performance

No. SML BG 0002

- | | | |
|----|--|--|
| 1. | Unique identification code of the product type | SML Stainless Steel and two part Ductile Iron couplings for drainage pipes made of Cast Iron |
| 2. | Batch number | Item no., nominal width, angle and manufacturing date – see each product |
| 3. | Intended use | Drainage of water from sites in above and below ground installations |
| 4. | Name and address | Alumasc Exterior Building Products Limited
T/A Alumasc Water Management Solutions
Station Road
Burton Latimer
Northamptonshire
NN15 5JP
www.alumascwms.co.uk |
| 5. | Where applicable - Authorised representative | Not Applicable |
| 6. | System of assessment | System 3 |
| 7. | Details | The notified body Exova performed the initial type testing of the reaction to fire as per EN877:1999+A1:2006 annex ZA and issued a report for the classification. |
| 8. | Product with a European Technical Assessment | Not Applicable |
| 9. | Declared performance | |

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire		
Cast Iron	A1	EN 877:1999+A1:2006
System	A2-s1, d0	EN 877:1999+A1:2006
Internal pressure strength	Pass	EN 877:1999+A1:2006
Dimension tolerances		
External diameter	Pass	EN 877:1999+A1:2006
Wall thickness	Pass	EN 877:1999+A1:2006
Ovality	Pass	EN 877:1999+A1:2006
Impact resistance	Pass	EN 877:1999+A1:2006
Tightness		
Water tightness	Pass	EN 877:1999+A1:2006
Air lightness	Pass	EN 877:1999+A1:2006
Durability aspects		
External coatings - Fittings	Pass Epoxy	EN 877:1999+A1:2006
Internal coatings - Fittings	Pass Epoxy	EN 877:1999+A1:2006

- | | | |
|-----|------------|---|
| 10. | Conclusion | The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. |
|-----|------------|---|

Signed for and on behalf of the manufacturer by:

Mike Meegan, RD&I Engineer

and

Simon Bradbeer, RD&I Director

Burton Latimer / 24th November 2015



ALUMASC WATER MANAGEMENT SOLUTIONS

SKYLINE, RAINWATER, HARMER

Station Road, Burton Latimer, Kettering, Northamptonshire, NN15 5JP

tel: 01744 648 400 • fax: 01744 648 401

email: info@alumascwms.co.uk • web: www.alumascwms.co.uk

GATIC

Poultton Close, Dover, CT17 0UF

tel: 01304 203 545 • fax: 01304 215 001

email: info@gatic.com • web: www.gatic.com